
OCP SONIC Workshop Hackathon 2019




Presented By, Cape-tain Johan

Problem Statement



- DB is Source of Truth for Forwarding plane but not for kernel.
- On Reboot FRR cleans all the routes from Kernel.
- Why to solve two problems here, one for kernel and one for DB?



Time For Demo

FRR before restart: with -k -r

- ▶ B 172.16.16.0/32 [20/0] via 10.0.0.63, Ethernet124, 00:17:43
- ► K>* 172.16.16.0/32 via 10.0.0.63, Ethernet124
- B 172.16.16.1/32 [20/0] via 10.0.0.63, Ethernet124, 00:17:43
- K>* 172.16.16.1/32 via 10.0.0.63, Ethernet124
- K>* 172.16.16.2/32 via 10.0.0.63, Ethernet124
- B 172.16.16.2/32 [20/0] via 10.0.0.63, Ethernet124, 00:17:43
- ▶ B 172.16.16.3/32 [20/0] via 10.0.0.63, Ethernet124, 00:17:43
- ► K>* 172.16.16.3/32 via 10.0.0.63, Ethernet124
- ▶ B 172.16.16.4/32 [20/0] via 10.0.0.63, Ethernet124, 00:17:43
- ► K>* 172.16.16.4/32 via 10.0.0.63, Ethernet124
- ► K>* 172.16.16.9/32 via 10.0.0.63, Ethernet124
- ► C>* 172.25.11.0/24 is directly connected, eth.